CUMULATIVE INDEX 1996

Volume 23

January	WHAT'S NEW IN PLASTIC SURGERY, pages 1–194
April	RHINOPLASTY: CURRENT CONCEPTS, pages 195–359
July	UPDATE ON HAND SURGERY, pages 361–510
October	BODY CONTOURING, pages 511–760

Note: Page numbers of issue and article titles are in **boldface** type.

Abdomen, and flanks, syringe liposculpture of, 690
and thighs, buttocks, and knees, syringe liposculpture of, 688, 689
body contouring of, 73–75
classic aesthetic features of, 697
contouring of, **551–573**
patient selection for, 552
primary, 552–553, 554–555
superficial liposuction of, 525, 526, 538–539, 540
Abdominoplasty, and flankplasty, combined, 563–567
endoscopic, and endoscopically assisted miniature, **599–617**
access incisions for, 605–607
benefits of, 600–601
description of, 601
discussion of, 612–616
fascial repair for, 607–609
flap elevation for, 606, 607
instrumentation for, 602–603
operative procedure for, 603–605
postoperative care in, 609
results of, 609–613
selection of candidates for, 601–602
isolated, 553–555, 557
bicycle handlebar incision for, 553–560, 562
problems associated with, 560–561
modified high-lateral tension, in excisional lifting for body contouring, 697–700, 701
primary, 552–553, 554–555
reverse, 525, 526
secondary flanks and, 568–571
standard high-lateral tension, in excisional lifting for body contouring, 696–697, 698
with star flap, 525, 527–528
Abductor pollicis longus tendon arthroplasty, of carpometacarpal joint, 406
Acne, alpha hydroxy acids in treatment of, 51
Acroparesthesia, 487
Adenoviral vectors, in vessel thrombosis, 162
Aesthetic surgery, advances in, **3–16**
lasers in, 10–11, 12–13, **29–48**
Aging, anatomic considerations of, 281, 282
changes in nasal airway with, 284–285
nasal tip in, 281–284
nose in, 281, 282, 283
osteotomies in rhinoplasty with, 285, 286
rhinoplasty in. See *Rhinoplasty, with advancing age.*
Airway, nasal, changes in, with aging, 284–285
Alar base, abnormalities of, **263–270**
classification of, 264–265, 266
horizontal plane, 265, 269
correction of, 267–270
vertical plane, 265, 266
correction of, 270
caudally malpositioned, correction of, 270
cephalically malpositioned, correction of, 270
corrective surgery of, 266–267
evaluation of, 263–264
in rhinoplasty, 230, 231
lateral, excision of, 267
of non-Indo-European nose, correction of, 347
post-traumatic loss of, reconstruction in, 268–269
secondarily widened, 268
surgery of, dynamics of, 266–267
thick, and wide nostrils, correction of, 268, 269
reconstruction of, 267, 268
wide, and excess nostril sill, correction of, 267
Alpha hydroxy acids, chemistry of, 49–50
in skin care, **49–56**
clinical strategies for use of, 52–54, 55
complications of, 54–55
indications and efficacy of, 50–52
mechanism of action of, 49
Alveolar ridge, of non-Indo-European face, modification of, 344, 348, 353–356
Amputation stump, preparation of, for toe transfer, 112
Anesthesia, for leg contouring with calf implants, 740
for pediatric plastic surgery, 139, 140
local, for surgery on short nose, 299
Ankles, contouring of, 77, 78
Arms, contouring of, 77–80, 515–521
in obesity, 651–653, 656
Arthritis, carpometacarpal, 365–366
degenerative, as cumulative trauma disorder, 365–366
Arthrodesis, first metacarpal-trapezial, of carpometacarpal joint, 385
four-corner, 381
of wrist, and wrist arthroplasty, current status of, **379–398**
in rheumatoid hand and wrist, 393

Arthrodesis *(Continued)*
radiolunate, 382
radioscapholunate, 382
scaphocapitate, 380–381
Arthrography, in painful wrist, 366–367
of wrist, 375–378
Arthroplasty, carpal implant, 389–391
in total wrist replacement, 391–392
of carpometacarpal joint, 400–405
of metacarpophalangeal joint, 395–400
of wrist, and wrist arthrodesis, current status of, **385–394**
in rheumatoid hand and wrist, 411, 412
resection, of wrist, 391
Arthroscopic "ectomy" procedures, 463, 475
Arthroscopic surgery, fractures of wrist and, 471–473
Arthroscopy, diagnostic, of wrist, indications for, 464
for treatment of ligamentous injuries of carpus, 473–475
in hand surgery, **463–476**
in painful wrist, 367
therapeutic, of wrist, 464–476
Axillary hyperhidrosis, ultrasonic assisted lipoplasty in, 581, 585, 594

Batten graft, in surgery of short nose, 303–304
Bennett's fracture-dislocations, of thumb, 454, 455
Bicycle handlebar incision, for isolated abdominoplasty, 553–560, 562
Bioactive glasses, 183–184
Bioplastique, 189
Blepharoplasty, conventional, 24
orbital fat repositioning in correction of, 27
laser in, 43–46
lower, 17
surgical technique for, 18, 21, 22
newer concepts in, 7–8, 9
upper, 17
Blood supply, external, of nose, 198–200
of inner nose, 218, 219, 220
Body contouring, **511–749**
autologous fat grafting for, **619–631**
breast-reduction, 70–71, 73, 74
excisional lifting in, **695–712**
history of, 511
in abdomen, 73–75
in gynecomastia, 73, 74
in large defects of trunk and extremities, **731–736**
in obesity, **647–670**
introduction to, **511–528**
of ankles, 77, 78
of anterior thighs, 75–77, 78
of arms, 77–80
of buttocks, 75, 76
of calves, 77, 78
of face, 65–67, 68, 69
of face and neck, 65
of neck, 67–70, 71, 72
of supercostal and epigastric regions, 70
post-mastectomy, 70
total, superficial liposuction for, 542, 543
with combined tumescent and syringe techniques, **57–80**
Bone fixation devices, resorbable polymeric, 142, 143
Bone graft harvesting device, 100
Bone graft(s), custom-molded prefabricated, 133, 134–135
harvested, 100, 101
Bone morphogenetic protein, in osteogenesis, 153
Bone repair enhancers, bone regeneration with, 99–100
Bone scans, in painful wrist, 364–366
three-phase, in diagnosis of sympathetically maintained pain syndromes, 440–441
Bone(s), microfixation of, in pediatric plastic surgery, 142, 144
nasal, in septal deformity, 328
regeneration of, by bone repair enhancers, 99–100
by distraction, 93–97, 98
by induction, 98–99
repair of, by regeneration, **93–101**
surgery of, advances in, 1–2
Bony "ectomy" procedures, 463, 475
Bony vault, of nose, 212–215
Boutonniere deformity, correction of, 417
Brachioplasty, suction, 77
Breast(s), augmentation of, endoscopic-assisted transaxillary, 15–16
reduction of, body contouring in, 70–71, 73, 74
ultrasonic assisted lipoplasty for, 581, 583, 584, 593
superficial liposuction of, 538, 539
surgery of, 11–16
Burns, pediatric plastic surgery in, 139–140, 141
Burton/Pellegrini technique, for arthroplasty of carpometacarpal joint, 400–401
Buttocks, and abdomen, thighs, and knees, syringe liposculpture of, 688, 689
body contouring of, 75, 76
contouring of, in obesity, 656, 658
traumatic decrease in bulk of, contour restoration in, 732–733

Calf implantation, for leg contouring. See *Leg(s), contouring of, with calf implants.*
secondary, in leg contouring, 737–738
Calf(ves), contouring of, 77, 78
depression of, following use as donor site, contour restoration in, 733
Cannula(s), for suction lipoplasty, 725–726
for superficial liposuction, 530–531
Capitolunate angle, 372–373
Carbon dioxide lasers, 36–37, 40–43
in aesthetic surgery, 10, 11
Carpal implant arthroplasty, 389–391
Carpal tunnel, anatomy of, 488
decompression of, morphologic changes in, 489–490
pressures within, 489
Carpal tunnel release, endoscopic, **477–486**, **487–504**
and open, comparative results of, 492, 493
cadaver results of, 501
clinical results of, 495–500
complications of, 483–484, 494–495, 497, 500
contraindications to, 491
cost of, 494
discussion of, 484, 501–502
frequency of, 477, 478, 479
historical perspective on, 477–479
return to work following, 483, 484, 493
techniques for, 479
extrabursal, 479, 480
results of, 480–482
transbursal, 479, 480
theoretical advantages of, 491
visualization in, 491
open, 479–480, 490–491
and endoscopic, comparative results of, 492, 493
clinical results of, 496

complications of, 483–484, 498, 499, 500
cost of, 494
results of, 482–483
return to work following, 483, 484, 493
visualization in, 491
Carpal tunnel syndrome, 425–426
etiology of, 488–489
histopathology of, 489
history of, 487
pathophysiology of, 488–490
treatment of, 490–491
results of, 492–494
Carpometacarpal arthritis, 431–432
Carpometacarpal joint, abductor pollicis longus tendon arthroplasty of, 402
arthroplasty of, 400–405
Burton/Pellegrini technique for, 400–401
Kleinman sling in, 401
procedures for, 400–401
Weilby technique for, 401
extensor carpi radialis longus strip plasty of, 402
first metacarpal osteotomy of, 402, 403
first metacarpal-trapezial arthrodesis of, 403
of thumb, osteoarthrosis of, 400
silicone implant arthroplasty of, 403–404
total arthroplasty of, 404–405
trapezectomy of, 402–403
Wilson osteotomy of, 402, 403
Cartilage(s), alar, of nose, morphology of, 201–210
upper lateral, nasal, in septal deformity, 328
release from lower lateral cartilage, in surgery of short nose, 301–302, 303
Cartilaginous vault, of nose, 211–212
CATS graft, complications of, 236, 238–243
for aesthetic nasal dorsum, **233–244**
technique of, 235, 236, 237
Causalgia, 437
Cellular activity, mechanical stimulation of, research on, 176–177
Cellular implantation, ex vivo gene therapy approach to, 161
Cellulitis, superficial liposuction for, 542, 545
Cervicofacial rejuvenation, approaches to, 4–7
Claw deformity, prevention of, in transfer of lesser toe, 112
Cleft lip, embryologic morphology of, 82–83
pediatric plastic surgery in, 140, 142
residual nasal deformity in, **81–92**
Cleft palate, pediatric plastic surgery in, 140, 142
Clonidine, for aesthetic surgery, 16
Columella, in rhinoplasty, 228–230
Complex regional pain syndromes, 435
debate on, 437–438
treatment of, 442
Compressive neuropathies, as cumulative trauma disorders, 424–428
sites of compression in, 427–428
Computed tomography, of wrist, 378–379
three-dimensional, in depressed skull fracture, 142, 143
Computer, in study of superficial liposuction, 533
Computer simulation, for practice of surgical techniques, 179
Craniofacial anomalies, pediatric plastic surgery in, 140–142
Cubital tunnel syndrome, 426–427
Cumulative trauma disorder(s), **421–433**
as term, 421
compressive neuropathies as, 424–428
degenerative arthritis as, 431–432
epicondylitis as, 430–431
escalation of, efforts to control, 422
evaluation of patients with, 423–424
factors influencing occurrence of, 423
hand surgeons and, 423
incidence of, 422
musculoskeletal symptoms in, 422
reality of, debate on, 421
seasonal nature of, 422
tenosynovitis as, 428–430
Cyanoacrylate, 184–185
Cytokines, research on, 174–175

Darrach procedures, and extensor tenosynovectomy, in rheumatoid hand and wrist, 409–410
DeQuervain's syndrome, 429
Digit, distal, reconstruction of, 107, 110, 111
Distal-based flaps, 122–127
Distraction devices, 94–95, 97, 99
DNA transfer, advances in, 174
direct, in vivo, 161–162
in muscle cells, 162
Dorsal region, superficial liposuction of, 539–541
Dorsum, nasal, aesthetic, CATS graft for, **233–244**
augmentation of, 322, 323–325
graft of, in surgery of short nose, 298, 304, 312
in rhinoplasty, 223–225
lump of, over-resection of, 233, 234, 235
resection of, 233, 234
of non-Indo-European nose, surgery of, 343–345, 346–347, 349
Dressings, for suction lipoplasty, 726–727

Elbow, golfer's, 430–431
tennis, 430–431
Electromagnetic spectrum, 29, 30
Embryology, and nasal deformity, 81–83
Endoscopic surgery, 1
Endoscopy, for carpal tunnel release. See *Carpal tunnel release, endoscopic.*
Endothelial cells, gene transfer to, 162–163, 164
Epicondylitis, as cumulative trauma disorder, 430–431
Epigastric region, contouring of, 70
Epinephrine, in tumescent liposuction, 644–645
Excisional lifting for body contouring, **695–712**
as adjunct to liposuction, 696
in multiple contour problems, 708, 709, 710, 711
indications for, 696
medial thigh lift in, 700–703
modified high-lateral tension abdominoplasty in, 697–700, 701
patient evaluation for, 695
photography for, 695–696
standard high-lateral tension abdominoplasty in, 696–697, 698
transverse thigh/buttock lift in, 703–711
Extensor carpi radialis longus strip plasty, of carpometacarpal joint, 402
Extremities, trunk and, large defects of, contour restoration of, **731–736**
Eyelid-cheek contouring, in rhytidectomy, 18–27

Face, aesthetic surgery of, orbital fat preservation of, **17–28**

Face *(Continued)*
body contouring of, 65–67, 68, 69
non-Indo-European, surgery of, **341–356**
syringe liposculpture of, 685–687, 691, 692
Facial fractures, pediatric plastic surgery in, 142–144
Facial paralysis, pediatric plastic surgery in, 144–145
Fascia flaps, versus muscle flaps, merits of, 127, 129
Fascial perforators, nomenclature systems for, 118–120, 121
Fasciocutaneous flap, 118, 120
distal-based, 122, 126
temporoparietal, 132
V-Y advancement of, 127, 133
Fat, regional patterns of distribution of, 673
types of, 723
Fat cells, future research on, suction lipoplasty and, 728
Fat grafting, autologous, animal research study in, 619–620
discussion of, 624–629
for body contouring, **619–631**
prelipoinjection marking for, 620
results of, 620–624, 625, 626, 627–628, 629
surgical technique for, 620
Fat injections, autologous, 520–525
Fetus, wound healing in, 153, 175–176
Fingers, reconstruction of, 105–107, 108, 109
Flankplasty, and abdominoplasty, combined, 563–567
isolated, 553, 555, 556, 560–561
Flanks, and abdomen, syringe liposculpture of, 690
Flap(s). See also specific types of flaps.
and grafts, progression of, in wound healing, **117–138**
donor site considerations for, 126, 127–133
prefabrication of, by pre-transfer tissue expansion, 127, 132
priorities, according to body region, 133, 135
recipient site, requirements of, and effect on donor site, 127, 129
Flashlamp pulsed-dye laser (FLPDL), in port wine stains, 151, 152
Fluoroscopy, in painful wrist, 364
of wrist, 371–372
Four-corner arthrodesis, 387
Fractures, of hand. See *Hand, fractures of.*
of thumb. See *Thumb, fractures of.*

Gait analysis, following toe-to-hand transfer, 114
Ganglions, dorsal carpal, treatment of, 464–465
Gene therapy, advances in, 174
definition of, 157
ex vivo, in cellular implantation, 161
for nerve and muscle regeneration, 163–168
for plastic and reconstructive surgery, **157–171**
for vessel thrombosis, 161–163, 164
in wound healing, 160–161
wound healing and, 157
Gene transfer, in muscle cells, 167
to endothelial cells, 162–163, 164
Glass-ionomer cement and solids, 185
Golfer's elbow, 430–431
Gore-Tex, 188
for augmentation of nose, 315
for suspension, 515, 516
Grafts, and flaps, progression of, in wound healing, **117–138**
Groin, lymphoma of, excision of, contour restoration following, 733–734
Growth factors, autocrine and paracrine secretory pathways for, 158
epidermal, 159
fibroblast, basic, 159
in wound healing, 158–160
-1, insulin, 159
keratinocyte, 159–160
platelet-derived, 158–159
therapy using, 160
transforming, 159
Gynecomastia, body contouring in, 73, 74

Hand, and wrist, imaging techniques of, **369–384**
radiography of, 369–372
rheumatoid. See *Rheumatoid hand and wrist.*
routine roentgenographic survey of, 369–371
fractures of, **447–462**
articular fractures of phalanges, 452–453, 454
distal interphalangeal joint intra-articular fractures, 453–454
examination of, 447–448
goal of treatment of, 447, 448
metacarpal base, 451–452
metacarpal head, 450–451
metacarpal neck, 449–450
shaft of metacarpals and shaft of phalanges, 448–449, 450
pediatric, plastic surgery of, 145, 146
surgery of, arthroscopy in, **463–476**
update on, **361–501**
trauma to, cumulative. See *Cumulative trauma disorder(s).*
Hand surgeons, and cumulative trauma disorders, 423
Hard-tissue-replacement polymer, 185–186
Hemangioma, pediatric, plastic surgery of, 145–146, 147, 148
Hips, contouring of, **551–573**
patient selection for, 552
primary, 552–553, 554–555
Hydrotomy, in suction lipoplasty, arguments for and against, 724–725
Hydroxyapatite, for augmentation of nose, 315–316
Hypertrophic scar(s), formation of, research on, 176
pediatric, plastic surgery in, 148–149
Hypospadias, plastic surgery in, 146

Imaging techniques, of hand and wrist, **369–384**
Immobilization, in painful wrist, 366
Implants, choice of, for leg contouring, 741–742
Infection, as complication of calf implantation, 747
Instruments, for endoscopic abdominoplasty, 602–603
for leg contouring with calf implants, 743, 744
for suction lipoplasty, 722, 725–727
Interphalangeal joint, and metacarpophalangeal joint, synovectomy of, in rheumatoid hand and wrist, 413–414
arthroplasty and arthrodesis of, in rheumatoid hand and wrist, 416
Intersection syndrome, 430
Intravenous sympathetic blockade, in reflex sympathetic dystrophy and complex regional pain syndromes, 442, 443

Keloids, following body contouring, 512–515
formation of, research on, 176
pediatric, plastic surgery in, 148–149

Kesselbach's plexus, 218, 220
Kleinman sling, in arthroplasty of carpometacarpal joint, 401
Knee(s), and abdomen, thighs, and buttocks, syringe liposculpture of, 688, 689
superficial liposuction of, 541

Laser light, 30, 32
Laser physics, 29–34
beam intensity and, 33–34
continuous and pulsed lasers and, 34
tissue absorption characteristics and, 30–33
Laser(s), alexandrite, 35
argon, 34
carbon dioxide, 36–37
in skin resurfacing techniques, 40–43
components of, 30, 31
continuous and pulsed, 34
copper vapor, 35
excimer, 36
for treatment of tattoos, 37–40
frequency doubled neodymium:YAG(KTP), 35
helium-neon, 35
historical review of, 29
holmium, 36
in aesthetic surgery, 10–11, 12–13, **29–48**
in blepharoplasty, 43–46
in fat surgery, 728–729
in liposuction. See *Liposuction, laser-assisted.*
in skin resurfacing techniques, 10–11, 12–13, 40–43
combination treatments with, 42
complications of, 42–43
post-treatment care in, 41
pretreatment care for, 41
technique for, 40–41
treatment specifics in, 41
treatment steps in, 41
neodymium:YAG(Nd:YAG), 36
ruby, 35
surgical, invisible light spectrum, 36–37
properties of, 34–37
visible light spectrum, 34–35
tunable dye, 34–35
Leg(s), anatomy of, and leg contouring with calf implants, 738, 739
contouring of, reconstructive indications for, 740
with calf implants, **737–749**
anesthesia for, 740
basic techniques in, analysis of, 740–741
choice of implants for, 741–742
complications of, 747–749
history of, 738
incisions for, 741, 742–743
indications for, 739–740
instruments for, 743, 744
leg anatomy and, 738, 739
postoperative management in, 745–747, 748
surgical technique for, 743–745, 746
technique of implantation for, 741
soft-tissue injuries of, contour restoration in, 731–732
Liability issue, 2
Lidocaine, in tumescent liposuction, 643–644
Lipectomy, preoperative marking for, 579, 580
suction, evolution of, 723
for contour irregularities of trunk, 731
Lipoexeresis, 529
Lipolisis, 529
Lipoplasty, suction, applications of, 723–724
controversies associated with, 724–729
current avenues of investigation in, 729–730
fat injection in, 728
future fat cell research and, 728
history and current concepts of, **721–730**
hydrotomy in, arguments against, 724
arguments in favor of, 724–725
instrumentation for, 725–727
"new" surgical advances in, 728–729
principles of, 721–723
selection of patients for, 722–723
superficial, 727–728
techniques for, 727–728
Illouz wet versus dry, 724
Illouz wet versus tumescent or superwet, 725
tests and instruments for, 722
theories of, 721
ultrasonic assisted, **575–598**
clinical evaluations following, 586, 587–591, 592–593, 594
conclusions following, 591–596
physical principles of, 575–578
postoperative care in, 586–587
surgical technique for, 579–587
Liposculpture, syringe, **683–693**
instrumentation for, 684–685, 686, 687
method of, 683–685
of abdomen, and flanks, 690
and thighs, buttocks, and knees, 688, 689
of face, 685–687, 691, 692
positioning of patient for, 684
postoperative management in, 685, 686
syringe technique for, 58, 60–63
Liposome-DNA complexes, in vessel thrombosis, 161
Liposuction, as adjunct to excisional lifting for body contouring, 696
aspiration end-point in, 58–64
classic, 529
evolution of, 8–10
history of, 511–512, 529–530
in gynecomastia, 73, 74
laser-assisted, advantages of, 718
disadvantages of, 716–718
multicenter study of, **713–719**
results of study of, 718–719
study data on, 714–716, 717, 718
technique of, 713–714
superficial, **529–549**
by regions, 537–548. See also specific regions.
cannulae for, 530–531
computerized study for, 533
for cellulitis, 542, 545
for total body contouring, 542, 543
of abdomen. See *Abdomen.*
photography for, 533
preoperative planning for, 532–533
technique for, 534–537
tumescent, **633–645**
discussion of, 638–640
epinephrine in, 644–645
in obesity, 648–651, 654–655
lidocaine in, 643–644
materials and methods for, 633–634
operative procedure for, 634–635, 636
perioperative fluid management for, 635
postoperative evaluation in, 635–636
pulmonary complications of, 642–643
results of, 637–638, 639, 640
tumescent formula for, 643
with excisional medial thigh lift, 702

Lungs, complications of, in tumescent liposuction, 642–643
Lunotriquetral arthrodesis, 388, 389
Lymphatics, of nose, 221

Magnetic resonance imaging, in painful wrist, 367
  of wrist, 379–382
Malar implants, removal and correction of, 25, 27–28
Mammaplasty, reduction, ultrasonic assisted lipoplasty for, 581, 583, 584, 593
  vertical, 13, 14
Mandible, distraction of, 96, 97, 98
Mastectomy, body contouring following, 70
Mastopexy, round block, 13–14
Maxilla, medial, augmentation of, 324–325
Medpor, 186–187
Melasma, alpha hydroxy acids in treatment of, 52
Mercedes, 531
Metacarpal, of thumb, fractures of, 454, 455, 456–457
"Metacarpal hand," 104, 108
Metacarpophalangeal joint, and interphalangeal joints, synovectomy of, in rheumatoid hand and wrist, 413–414
  arthroplasty of, 395–400
    historical review of, 395
  silastic implants of, 395–396
    indications for, 396–397
    results of, 398–400
    surgical techniques for, 397–398, 399
Methylmethacrylate, 186
Midface, distraction of, 93–97, 98, 99
  embryologic, development of, 82
  rejuvenation of, 4, 5
Mucoperichondrium, closure of, in surgery of short nose, 304
  elevation of, in surgery on short nose, 300–301
  release of, in surgery on short nose, 301
Muscle flaps, 118
  classification of, 122, 124
  for large defects of trunk, 731, 734, 735
  merits of fascia flaps versus, 127, 129
Muscle transplants, in large defects of trunk, 731, 734, 735
Muscle(s), of nose, 198
  regeneration of, gene therapy for, 163–168

Nasal airway, changes in, with aging, 284–285
Nasal cavity(ies), 214–215
  lateral wall of, 216–218
Nasal septum, bony, 214–215
  cartilaginous, 215–216, 217
  deformity(ies) of, assessment and correction of, 328–329
    caudal, 329
    extracorporeal repair of, 329
    high, 329
    low, 329
    mid-septal, 329
    nasal bones in, 328
    types of, 271
    variations of, 271–272
  reconstruction of, 284
  stabilization of, 276–279
  surgery of, **271–279**
    goals of, 272
    intrinsic cartilage modification of, 276
    operative technique for, 272–279
Nasal spine, in rhinoplasty, 230
Nasal tip, anatomic preservation of, and non-destructive shaping of, in primary rhinoplasty, 247–252
  augmentation of, 226–227
  changes in approach to surgery of, 252
  common deformities of, primary rhinoplasty in, 247–249
  grafts of, application of, to primary rhinoplasty, 246–247
  in rhinoplasty, 225–227, 228, 229
  non-destructive shaping and positioning of, in primary rhinoplasty, 247–252
  of non-Indo-European nose, surgery of, 342–343, 345, 350, 351
  projection of, reduction of, 225–226
  width of, reduction of, 227, 228, 229
  with advancing age, 281–284
Nasion, in rhinoplasty, 223
Nasolabial angle, in rhinoplasty, 227–228
  of non-Indo-European nose, correction of, 342–343, 345–347, 348, 352, 353
Neck, contouring of, 65, 67–70, 71, 72
    in obesity, 651, 652
  improvement of, approaches to, 4–7
Nerve blocks, in painful wrist, 368
Nerve supply, external sensory, of nose, 200–201
Nerve(s), damage to, as complication of calf implantation, 747–749
  damaged, regeneration of, research on, 177–178
  digital, morphometric study of, following toe-to-hand transfer, 114
  of inner nose, 218, 219, 220
  regeneration of, gene therapy for, 163–168
Neuromuscular flap(s), 120–122, 123, 125
Neuropathy(ies), compressive, as cumulative trauma disorders, 424–428
    sites of compression in, 427–428
Neurotrophic factor, ciliary, 166–167
Neurotrophin family, 165–166
Nevus(i), pediatric, plastic surgery in, 149–151
Nose, alar base of. See *Alar base.*
  alar cartilage of, morphology of, 201–210
  alloplastic augmentation of, **315–326**
    technique of, 316–319
  anatomy of, 297–298
  apparently short, technque for correction of, 307–312
  bony septum of, 214–215
  bony vault of, 212–215
    in aging, 285, 286
  cartilage of, migration/separation of, with age, 283
  cartilaginous septum of, 215–216, 217
  cartilaginous vault of, 211–212
  caudal third of, 201–210
  deformity of, embryology and, 81–83
    in cleft lip, abnormal anatomy in, 83–84
      embryologic morphology of, 82–83
      present approach to, 87–90
      review of literature on, 84–87
  deviated. See *Nose, twisted.*
  dorsum of. See *Dorsum, nasal.*
  external blood supply of, 198–200
  external sensory nerve supply of, 200–201
  ideal, 341
  inner, nerves and blood supply of, 218, 219, 220
    veins of, 218–221
  internal anatomy of, 214–221
  lateral crus of, 207–210
  lymphatics of, 221
  medial crus of, 201–204

mestizo, 343
middle crus of, 204–207
muscles of, 198
non-Indo-European, 341–343
surgery on, objectives of, 343–356
pyramid of, of non-Indo-European nose, narrowing of, 345
pyriform fossae of, of non-Indo-European nose, surgery of, 347–353
residual cleft lip deformity of, **81–92**
short, **297–313**
absolute lengthening of, by closed approach, 307, 312
examination of, 297, 298
surgery in, batten graft in, 303–304
case examples of, 305–309, 310–311
closure of mucoperichondrium in, 304
donor sources for, 302–303
dorsal graft in, 298, 304, 312
elevation of mucoperichondrium in, 300–301
instrumentation for, 298
local anesthesia for, 299
open approach for, 299–309
potential problems and poor results of, 312
preoperative preparation for, 298–299
release of mucoperichondrium in, 301, 302
release of upper lateral and lower lateral cartilage in, 301–302, 303
skin of, 196
soft-tissue covering of, 196–198
subcutaneous tissue layer of, 196–198
surgical anatomy of, **195–222**
tip of. See *Nasal tip.*
topographic anatomic analysis of, 195
twisted, **327–340**
as complex deformity, 329
as functional problem, 327
clinical experience with, 331, 334–339
component separation and internal cartilage splinting in, 329–331, 332–333
etiology of, 327
repair of, basic principles, 328
understanding and correction of, 328–329
with advancing age, 281, 282, 283
Nostril(s), 210–211
alar bases of, 210–211
narrow, correction of, 269–270
sill of, excess, and wide alar base, correction of, 267
wide, correction of, 267
vestibule of, 211
wide, and thick alar base, correction of, 268, 269
Nucleation sites, 577

Obesity, **671–681**
body contouring in, **647–670**
complications of, 656–660, 661
risks associated with, 670
surgical options for, 647–648
classification of, 671–672, 723
combined nonexcisional and excisional body contouring in, 661–669
contouring of arms in, 651–653, 656
contouring of buttocks in, 656, 658
contouring of neck in, 648–651, 654–655
contouring of thighs in, 656–660
contouring of trunk in, 653, 656, 657, 662
excisional body contouring in, 660–661
fat associated with, 672–673
health consequences of, 676
measurements of, 672–673
mechanisms of, 673–676
morbid, body contouring in, 515–521
nonexcisional body contouring in, 648–660
patterns of fat distribution in, 673
prevention of, 676–677
treatment of, 677–679
tumescent liposuction in, 648–651, 654–655
Orbit, youthful, and aging, 17–18, 19, 20
Orbital fat, preservation of, in facial aesthetic surgery, **17–28**
Osteoarthrosis, of carpometacarpal joint of thumb, 400
Osteogenesis, bone morphogenetic protein in, 153
Osteotomy(ies), first metacarpal, of carpometacarpal joint, 402, 403
in rhinoplasty, with advancing age, 285, 286
Wilson, of carpometacarpal joint, 402, 403
Outcomes, of plastic surgery procedures, studies of, 179–180

Pancarpal arthrodesis, 388–389
Pediatric plastic surgery, **139–155**
anesthesia for, 139, 140
in burns, 139–140, 141
in cleft lip and palate, 140, 142
in craniofacial anomalies, 140–142
in facial fractures, 142–144
in facial paralysis, 144–145
in hemangioma, 145–146, 147, 148
in hypospadias, 146
in keloids and hypertrophic scars, 148–149
in nevi, 149–151
in port wine stains, 151, 152
in tattoos, 151–152
of hand, 145, 146
tissue engineering in, 152–153
Perialar region, alloplastic augmentation of, **315–326**
aesthetic value of, 317, 318, 319–323
deficiencies requiring, 319
Phalanx(ges), of thumb, fracture of, 454–456
proximal, skin degloving from, 107, 111
Pharyngoplasty, sphincteric, 142
Photography, for excisional lifting for body contouring, 695–696
for superficial liposuction, 533
Pickle fork cutting edge, 524
Plantome, 529
Plastic surgery, and reconstructive surgery, gene therapy for, **157–171**
new procedures and trends in, **1–190**
perspectives on, **1–2**
pediatric. See *Pediatric plastic surgery.*
plastics for, **183–190**
procedures in, outcome studies of, 179–180
research in, 173–182
Plastics, for plastic surgery, **183–190**
Polyamide mesh, 187
Polydimethylsiloxane, 188
Polyethylene, porous high-density, 186–187
Poly(L-lactide), 187–188
Polytetrafluoroethylene, 188
Port wine stains, laser therapy in, 151, 152
pediatric, plastic surgery in, 151, 152
Proplast, 188
Proteins, recombinant, 157
Proximal-based flap, 125

Radiation, stimulated emission of, 30, 31

Radiation therapy, in body contour scars, 512–515
Radiography, of hand and wrist, 369–372
Radiolunate arthrodesis, 388
Radioscapholunate arthrodesis, 388
Reconstructive surgery, and plastic surgery, gene therapy for, **157–171**
Reflex sympathetic dystrophy, **435–446**
anatomy and pharmacology of, 438–439
diagnosis of, 439–440
natural history of, 436
three-phase bone scans in, 440–441
treatment of, 441–444
Regeneration, repair of bone by, **93–101**
Rehabilitation, motor, following toe-to-hand transfer, 112–113
sensory, following toe-to-hand transfer, 113
Reperfusion injury, research on, 178–179
Resection arthroplasty, of wrist, 391
Resorbable polymeric bone fixation devices, 142, 143
Retroviral vectors, in vessel thrombosis, 161–162
"Reverse-based flap, 122
Rheumatoid hand and wrist, aims of surgery in, 408–409
extensor tenosynovectomy and Darrach procedures in, 409–410
flexor tenosynovectomy of fingers and palm in, 411–413
flexor tenosynovectomy of wrist in, 411
fusions of thumb in, 417–418
metacarpophalangeal arthroplasty in, 414–416
proximal interphalangeal joint arthroplasty and arthrodesis in, 416
surgical principles in, 407–408
and planning for, **407–420**
surgical procedures in, 409–418
synovectomy of metacarpophalangeal and proximal interphalangeal joints in, 413–414
wrist arthrodesis in, 411
wrist arthroplasty in, 411, 412
Rhinophyma, carbon dioxide laser in, 43
Rhinoplasty, **195–356**
alar base in, 230, 231
columella in, 228–230
destructive tip-shaping techniques in, consequences of, 245–246, 247
dynamic interplays during, **223–231**
external approach to, spreader grafts in, **255–262**
case study of, 260–261
discussion of, 261–262
technique for, 255–260
grafts and graft variables in, 246
nasal dorsum in, 223–225
nasal spine in, 230
nasal tip in, 225–227, 228, 229
nasion in, 223
nasolabial angle in, 227–228
non-destructive tip shaping and positioning in, logic of, 249–250
osteotomies in, with advancing age, 285, 286
primary, anatomic preservation and non-destructive tip shaping in, 247–252
applying tip grafts to, 246–247
common tip deformities and, 247–252
non-destructive tip shaping and positioning in, 251–252
use of open approach in, 250–251
primary tip, logic and techniques of, **245–253**
reduction, and evolution of destructive tip-shaping techniques, 245–247
spreader grafts with, 285
with advancing age, **281–296**
case study of, 288–296
consultation prior to, 285–287
operative goals/techniques for, 287–288
Rhytidectomy, advances in, 3–4
eyelid-cheek contouring in, 18–27
with extended SMAS flap, 6–7
Roentgenographic survey, routine, of hand and wrist, 369–371
Rolando's fracture, of thumb, 454, 455

Saddle bags, superficial liposuction of, 542, 543
Scapho-trapezial-trapezoidal arthrodesis, 386
Scaphocapitate arthrodesis, 386–387
Scapholunate arthrodesis, 387
Scars, body contour, radiation therapy in, 512–515
tatooing of, 514, 515
Scintigraphy, of wrist, 374–375
Second dorsal metacarpal artery flap, distal-based, 127, 128
Set point, 674–675
Set point theory, 677
Silastic implants, of metacarpophalangeal joint, 395–396
indications for, 396–397
surgical techniques for, 397–398, 399
Silastic wrist spacer, 391
Silicone implant arthroplasty, of carpometacarpal joint, 403–404
Silicone implants, studies on, 178
Silicone(s), 2, 188–189
for augmentation of nose, 315
Simon-Barraquer syndrome, ultrasonic assisted lipoplasty in, 592–593
Skin, of nose, 196
photoaged, alpha hydroxy acids in treatment of, 51
Skin care, alpha hydroxy acids in. See *Alpha hydroxy acids, in skin care.*
Skin flaps, 118–133. See also specific types of flaps.
fabricated, 2
for large defects of trunk, 731, 734, 735
Skin grafts, 117–118, 119–120
Skin resurfacing techniques, lasers in. See *Laser(s), in skin resurfacing techniques.*
Skin substitutes, 2
Skull fracture, depressed, three-dimensional computed tomography in, 142, 143
Smile reanimation, two-stage neuromuscular flap reconstruction for, 144–145
Soft-tissue covering, of nose, 196–198
Solution, for superficial liposuction, 535
Somatomedin C, 159
Sonography, of wrist, 378
Spreader grafts, in external approach to rhinoplasty, **255–262**
with rhinoplasty, 285
Stellate ganglion block, in reflex sympathetic dystrophy and complex regional pain syndromes, 442
Subcutaneous tissue layer, of nose, 196–198
Submenton, superficial liposuction of, 537–538
Submusculoaponeurotic system (SMAS), 4, 5
Suction, brachioplasty, 77
Suction contouring techniques. See *Lipectomy, suction; Lipoplasty, suction.*
Supercostal region, body contouring of, 70
definition of, 70, 73
Supramid, 187
Swan neck deformity, correction of, 416
Sympathectomy, surgical, in reflex sympathetic dystrophy and complex regional pain syndromes, 442, 443

Sympathetically independent pain syndromes, 435
Sympathetically maintained pain syndromes, 435, 437
diagnosis of, 440–441
presumed basis for, 438–439
treatment of, 441–444
Synovectomy, of metacarpophalangeal and proximal interphalangeal joints, in rheumatoid hand and wrist, 413–414
Syringe, for suction lipoplasty, 726
Syringe liposculpture. See *Liposculpture, syringe.*
Syringe technique, and tumescent technique, body contouring with, **57–80**
for liposculpture, 57–58, 59
instrumentation for, 58, 60–63

Tatooing of scars, 514, 515
Tattoos, amateur, treatment of, 37, 38, 39
cosmetic, treatment of, 39–40
pediatric, plastic surgery in, 151–152
professional, treatment of, 37–39
traumatic, treatment of, 37
treatment of, 37–40
postoperative care in, 40
Teflon, 188
Telecommunications, 2
Tennis elbow, 430–431
Tenodonitis, nonspecific, 430
Tenosynovectomy, extensor, and Darrach procedures, in rheumatoid hand and wrist, 409–410
flexor, of fingers and palm, in rheumatoid hand and wrist, 411–413
of wrist, in rheumatoid hand and wrist, 411
Tenosynovitis, as cumulative trauma disorder, 428–430
Thigh/buttock lift, transverse, 703–711
complications of, 711
design for, 704
operative technique for, 704–711
Thigh(s), and abdomen, buttocks, and knees, syringe liposculpture of, 688, 689
anterior, contouring of, 75–77, 78
contouring of, 515–521
in obesity, 656–660
medial lift of, complications of, 703
current surgical principles for, 700–701
fascial anchoring technique in, 700
operative technique for, 701–703
problems associated with, 700, 702
superficial liposuction of, 541, 542, 543
Thrombosis, gene therapy for, 161–163, 164
Thumb, carpometacarpal joint of, arthroplasty of, 400–405
osteoarthrosis of, 400
fractures of, base of metacarpal, 454, 455
Bennett's fracture-dislocations, 454, 455
complications of, 456, 457, 458–459
metacarpal, 456–457
open, management of, 459–461
phalanx, 454–456
Rolando's, 454, 455
fusions of, in rheumatoid hand and wrist, 417–418
metacarpophalangeal arthroplasty and basilar joint arthroplasty of, 395
reconstruction of, 104–105, 106, 110
Tissue engineering, 2
advances in, 173–174
pediatric, plastic surgery in, 152–153
Tissue expanders, for leg contouring, 737
in pediatric plastic surgery for nevi, 149–151
Tissue expansion, pre-transfer, fabrication of flaps by, 127, 132
Toe-to-hand transfer, **103–116**
current concepts in, 103–104
current research in, 113–114
fixation of toe in, 112
functional evaluation following, 113–114
gait analysis following, 114
historical perspective on, 103
in metacarpal hand, 104, 105, 108
initial care in, 103–104
morphometric study of digital nerves following, 114
reconstruction options for, 104–107, 108, 109
rehabilitation following, 112–113
somatosensory evoked potentials evaluations following, 114
technical refinements for, 107–112
Toe(s), fixation of, in toe-to-hand transfer, 112
great, trimmed, harvesting of, 109
hasvesting of, 109–111
lesser, harvesting of, 109–111
transfer of, prevention of claw deformity in, 112
transfer of, amputation stump preparation for, 112
secondary procedures in, 112
Tomography, conventional, of wrist, 374
in painful wrist, 367
Total wrist replacement arthroplasty, 391–392
Transverse rectus abdominis musculocutaneous (TRAM) flap, 3
following radical mastectomy, 127, 130–131
free, 131
Trapezectomy, of carpometacarpal joint, 402–403
Trigger digit, 402–403
Trunk, and extremities, large defects of, contour restoration of, **731–736**
cases illustrating, 731–734
discussion of, 734–735
contouring of, in obesity, 653, 656, 657, 662
Tumescent technique, and syringe technique, body contouring with, **57–80**
history of, 57
instrumentation for, 58, 60–63
time required for, 64–65, 66

Ulnar nerve entrapment, at wrist, 427
Ultrasound, biological effects on adipose tissue, 578
in fat surgery, 729
medical uses of, 576–577
Umbilicoplasty, 558–561

Vascular pedicle, retrograde dissection of, 107–109
Vascularized flaps, 118
Veins, of inner nose, 218–221
Videotape, of wrist, 374
Virtual surgery, advances in, 179

Weilby technique, for arthroplasty of carpometacarpal joint, 401
Wilson osteotomy, of carpometacarpal joint, 402, 403
Wound healing, and gene therapy, 157
fetal, 153, 175–176
gene therapeutic approaches to, 160–161
"ladder," 117, 118
progression of flaps and grafts in, **117–138**

Wrist, and hand, imaging techniques of, **369–384**
radiography of, 369–372
rheumatoid. See *Rheumatoid hand and wrist.*
routine roentgenographic survey of, 369–371
arthrodesis, and wrist arthroplasty, current status of, **385–394**
historical prespective on, 385–386
four-corner, 387
in rheumatoid hand and wrist, 411
limited, 386–388
lunotriquetral, 388, 389
pancarpal, 388–389
radiolunate, 388
radioscapholunate, 388
scapho-trapezial-trapezoidal, 386
scaphocapitate, 386–387
scapholunate, 387
arthrography of, 375–378
arthroplasty of, and wrist arthrodesis, current status of, **385–394**
carpal implant, 389–391
in rheumatoid hand and wrist, 411, 412
resection, 391
total wrist replacement, 391–392
bidirectional communications of, 375
cineradiography of, 374
computed tomography of, 378–379
conventional tomography of, 374
diagnostic arthroscopy of, indications for, 464
dorsal carpal ganglions of, treatment of, 464–465
fluoroscopy of, 371–372
fractures of, arthroscopic surgery and, 471–473
intra-articular distal radius, arthroscopic findings in, 472
instability series of, 372–373
lateral radiograph of, 370–371
ligamentous injuries of, arthroscopic treatment of, 473–475
magnetic resonance imaging of, 379–382
magnification views of, 372
painful, arthrography in, 366–367
arthroscopy in, 367
bone scans in, 364–366
evaluation of patient with, **361–368**
fluoroscopy in, 364
four-view wrist imaging series in, 363–364
functional testing in, 368
history taking in, 361–362
immobilization of, 366
instability imaging series in, 364
magnetic resonance imaging in, 367
nerve blocks in, 368
physical examination in, 362–363
primary imaging modalities in, 363–366
tomography in, 367
posteroanterior radiograph of, 369–370
scintigraphy of, 374–375
sonography of, 378
therapeutic arthroscopy of, complications of, 475–476
indications for, 464–476
triangular fibrocartilage injuries of, classification of, 466
treatment of, 465–471
true lateral radiograph of, 372
ulnar deviation of, posteroanterior view of, 371
ulnar nerve entrapment at, 427
unidirectional communications of, 375
videotape of, 374
Wrist spacer, silastic, 391